






THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

260	S012480/00	SCREW	M8X12 HH FT DIN 933 ISO 4017 8.8	-	2
250	P5000224/00	STICKER	GS43	JVK: GS43KMGS43	1
240	P5000115/00	STICKER	JERNEVIKEN	JVK: GSKMJV	1
230	A5000222/01	COVER	EXTENSION SAW BLADE	JVK: GS43KSN	1
220	P5000101/00	WRENCH	METRIC 36 COMBINATION	JVK: GSBN36	1
210	P5000189/00	WRENCH	METRIC 32MM	JVK: GS34-43BN32	1
200	S103990/00	DIN_7091,10,8.8	Plain Washer, DIN 125 (ISO 7091-2000),10,8.8	NX Standard Part	2
190	S5500040/00	STAR KNOB	D60 M10X25	JVK: GSHTASVM10	2
180	S104846/00	DIN_127_B_10,8.8	Spring Lock Washers, Form B DIN_127,10,8.8	NX Standard Part	2
170	S106508/00	DIN_934,M24x2,8.8	Hexagon Nut, DIN 934 1987,M24x2,8.8	NX Standard Part	1
160	P5000140/00	NUT	M24X2 LEFT HAND THREAD	JVK: GSM24X2-V	1
150	P5000220/00	FASTENER	SAW BLADE OUTSIDE	JVK: GS43KFY	2
140	P5000221/00	FASTENER	SAW BLADE INSIDE	JVK: GS43KFI	2
130	A5000211/06	CHASSIS	GS43	-	1
60	P5000061/00	HOLDER	CORD	JVK: GSHEL	1
30	P5000207/00	COVER	BLADE AXLE	JVK: GS43SKF	1
20	P5000219/00	HANDLE	GS-43	JVK: GSHTA	1
10	A5000223/02	COVER	SAW BLADE	JVK: GS43KSY	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY

ART.NR. P2115-3			REV. 05	PROJECTION 	MATERIAL		
TITLE Jernevikén - GS43 Floor saw					FINISH		
NOTES: -					DESIGNER	PALLAG DESIGN	PROJECT
1	Revised A5000211.	24.11.2022.	pd3	DATE		P2115 - Jernevikén - Floor saw	
2	Revised A5000223.	02.12.2022.	pd3	LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.	
3	Revised A5000211.	18.12.2022.	pd4	DATE	22-Jan-2023		
				STATUS	PB3Released		
NO.	CHANGE	DATE	DESIGNER	SHEET 1 / 7	SCALE 1:1	SIZE: A3	




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. P2115-3		REV. 05	PROJECTION 	MATERIAL	
TITLE Jernevik - GS43 Floor saw				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	22-Jan-2023
				STATUS	PB3Released
NO.	CHANGE	DATE	DESIGNER	SHEET 2 / 7	SCALE 1:1
					SIZE: A3




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. P2115-3		REV. 05	PROJECTION 	MATERIAL		
TITLE Jernevik - GS43 Floor saw				FINISH		
NOTES: -				DESIGNER	PALLAG DESIGN	PROJECT
				DATE		P2115 - Jernevik - Floor saw
				LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				DATE	22-Jan-2023	
				STATUS	PB3Released	
NO.	CHANGE	DATE	DESIGNER	SHEET 3 / 7	SCALE 1:1	SIZE: A3




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.


ART.NR. P2115-3		REV. 05	PROJECTION 	MATERIAL	
TITLE Jernevik - GS43 Floor saw				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	22-Jan-2023
				STATUS	PB3Released
NO.	CHANGE	DATE	DESIGNER	SHEET 5 / 7	SCALE 1:1
					SIZE: A3

JERNEVIKEN

PROJECT
P2115 - Jernevik - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.





THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.


ART.NR. P2115-3		REV. 05	PROJECTION 	MATERIAL	
TITLE Jernevi - GS43 Floor saw				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	22-Jan-2023
				STATUS	PB3Released
NO.	CHANGE	DATE	DESIGNER	SHEET 6 / 7	SCALE 1:1
					SIZE: A3



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. P2115-3		REV. 05	PROJECTION 	MATERIAL	
TITLE Jernevi - GS43 Floor saw				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	22-Jan-2023
				STATUS	PB3Released
NO.	CHANGE	DATE	DESIGNER	SHEET 7 / 7	SCALE 1:1
					SIZE: A3




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.



THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. P2115-3		REV. 05	PROJECTION 	MATERIAL		
TITLE Jernevik - GS43 Floor saw				FINISH		
NOTES: -				DESIGNER	PALLAG DESIGN	PROJECT
				DATE		P2115 - Jernevik - Floor saw
				LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				DATE	22-Jan-2023	
				STATUS	PB3Released	
NO.	CHANGE	DATE	DESIGNER	SHEET 4 / 7	SCALE 1:1	SIZE: A3

100	R5500042/00	HANDLE	CILINDRICAL	JVK: GSHTAV	1
90	P5000162/01	SCREW	LEAD TRAPEZOIDAL	JVK: GSTSV30X6	1
80	S114936/00	DIN_4027,B,M8x10,12.9	Hexagon Socket Set Screw, Cone Point, DIN 914 (ISO 4027-2003(E)),M8x10,12.9	NX Standard Part	1
70	S111702/00	DIN_4017,B,M12x25,12.9	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M12x25,12.9	NX Standard Part	1
60	S104112/00	ISO_7089,12,12.9	Plain Washer, Normal Series, DIN EN ISO 7089-2000,12,12.9	NX Standard Part	1
50	P5000129/01	CRANK	HANDLE	JVK: GSVEVK	1
10	S5500031/00	BEARING	SKF FY 25 TF	JVK: GSFY25TF	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF JERNEVIKEN MASKIN AB REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF JERNEVIKEN MASKIN AB IS PROHIBITED.

ART.NR. 5000127		REV. 02	PROJECTION 	MATERIAL	
TITLE HANDWHEEL - ELECTRIC MOTOR ADJUSTMENT				FINISH	
NOTES: JVK: GSVEVMTSL				DESIGNER	PALLAG DESIGN
1	Revised: P5000162, Replace: 111702, 104112	22.01.2023.	pd4	DATE	
2	Revised: P5000129	31.01.2023	pd3	LAST CHANGE	PALLAG DESIGN
				DATE	02-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 1 / 1	SCALE 1:1

PROJECT
P2115 - JerneviKEN - Floor saw

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK.
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.

SIZE: 297.0 x 210.0







THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

7	Added item no. P5000313.	30.01.2023.	pd3
6	Revised: A5000127	22.01.2023.	pd4
5	Revised R5500070.	18.12.2022.	pd4
NO.	CHANGE	DATE	DESIGNER

520	P5000313/00	STICKER	LIFTING POINT	-	1
510	S012467/00	OIL NIPPLE	M6x1 STRAIGHT	-	1
500	S5500049/00	SPRING	EXTENSION	JVK: GSFJ-247-5	2
490	R5500070/02	SET	ELECTRIC COMPONENTS GS43	-	1
480	S012477/00	SCREW	5x50-HS PH CBS	-	4
470	P5000191/00	DOUBLING	ELECTRIC BOX	JVK: GSS33T4	4
460	P5000112/00	PLATE	PRODUCT DATA	JVK: LBTS	1
450	S5500024/00	RIVET	2X5 HD - AN 00863-02-005	JVK: DN2X5FTS	4
440	P5000190/00	PLATE	DOUBLING	JVK: GSGP25X12X150	2
430	S106885/00	DIN_982,M6,8,8	Prevailing Torque Type Hexagon Nut, DIN 982-1987,M6,8,8	NX Standard Part	2
420	S111714/00	DIN_4017,B,M12x40,12,9	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M12x40,12,9	NX Standard Part	4
410	S111704/00	DIN_4017,B,M12x30,8,8	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M12x30,8,8	NX Standard Part	8
400	S103848/00	DIN_7349,12,12,9	Washer, DIN 7349-1974,12,12,9	NX Standard Part	8
390	S104110/00	ISO_7089,12,8,8	Plain Washer, Normal Series, DIN EN ISO 7089-2000,12,8,8	NX Standard Part	12
380	S103990/00	DIN_7091,10,8,8	Plain Washer, DIN 125 (ISO 7091-2000),10,8,8	NX Standard Part	8
370	S112750/00	DIN_7984,M5x0_8x16,8,8	Hexagon Socket Head Cap Screw With Low Head, DIN 7984-2002,M5x0_8x16,8,8	NX Standard Part	4
360	S106985/00	DIN_7042,A,M5,8,8	Prevailing Torque Metal Hexagon Nut, With Washer Face, DIN 980-87(ISO 7042-1997),M5,8,8	NX Standard Part	4
350	S104094/00	ISO_7089,5,8,8	Plain Washer, Normal Series, DIN EN ISO 7089-2000,5,8,8	NX Standard Part	8
340	S106913/00	DIN_982,M12,8,8	Prevailing Torque Type Hexagon Nut, DIN 982-1987,M12,8,8	NX Standard Part	13
330	S111654/00	DIN_4017,B,M10x30,12,9	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M10x30,12,9	NX Standard Part	4
320	S118917/00	BOLT	M12X50-HH PT-DIN 931-ISO 4014 8,8	BN 57	5
310	S106901/00	DIN_982,M10,8,8	Prevailing Torque Type Hexagon Nut, DIN 982-1987,M10,8,8	NX Standard Part	4
300	S113667/00	DIN_7380,M6x10,10,9	Hexagon Socket Button Head Screw, DIN EN ISO 7380-2004,M6x10,10,9	NX Standard Part	2
290	S104100/00	ISO_7089,6,12,9	Plain Washer, Normal Series, DIN EN ISO 7089-2000,6,12,9	NX Standard Part	2
280	S111598/00	DIN_4017,B,M8x20,12,9	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M8x20,12,9	NX Standard Part	6
270	S103443/00	DIN_EN_DIN_7093-1,M8,12,9	Plain Washer, Large, DIN EN ISO 7093-1-2000,M8,12,9	NX Standard Part	5
260	S5500043/00	WASHER	NILOS RING 6204AV	JVK: GS34SPA950	2
250	S5500056/00	BELT	GATES XP A1120	JVK: GS43SPA1120	4
240	P5000188/00	SUSPENSION	REAR WHEEL	JVK: GSHA	1
230	P5000184/00	ADAPTER	HANDWHEEL	JVK: GSHT30X6	1
220	P5000212/00	SUSPENSION	FRONT WHEEL	JVK: GS43UPL	1
210	S5500039/00	TOGGLE CLAMP	SB 120-AS	JVK: EWBPg-10-G-3	1
190	S5500055/00	PULLEY	SPA 132 4	JVK: GS43SPA132-4	1
180	S5500054/00	TAPERED BUSH	DESCH 2517-35	JVK: GS43B35/132-4	1
170	P5000175/00	AXLE	SAW BLADE	JVK: GSKA660	1
160	S012388/00	DIN_6885_A	PARALLEL KEY, DIN 6885 A, 8X7X40	-	1
150	S012466/00	PARALLEL KEY	8x7x18 C45K PLAIN	-	2
140	A5000106/02	SET	VALVE COOLING	JVK: GSHVKK	1
130	S5500033/00	BEARING	SKF SY 35 TF	JVK: GSSY35TF	2
120	S5500003/00	BEARING	SKF SY 30 TF	JVK: GSSY30TF	2
110	S5500032/00	WHEEL	ALEV 250-20K	JVK: GSALEV25020K	2
100	S5500004/00	WHEEL	D160	JVK: GSALEV16020K	2
90	A5000234/02	SET	ELECTRIC MOTOR GS43	JVK: GS43ELM11KW	1
70	P5000215/00	ADAPTER	DRIVING BELT	JVK: GS43RS	1
60	P5000210/00	COVER	DRIVING BELT	JVK: GS43RS	1
30	A5000127/02	HANDWHEEL	ELECTRIC MOTOR ADJUSTMENT	JVK: GSVEVMTSL	1
20	P5000209/00	PLATE	LIFT	JVK: GS43LO	1
10	P5000231/00	MAIN FRAME	GS43	JVK: GS43HC	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY

ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL	
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
1	Item S118920 changed to S118917.	10.10.2022.	pd3	DATE	
2	Art.nr. changed from A5000192 to R5500070.	16.11.2022.	pd3	LAST CHANGE	PALLAG DESIGN
3	Revised A5000234.	24.11.2022.	pd3	DATE	01-Feb-2023
4	Revised A5000106.	01.12.2022.	pd3	STATUS	
PROJECT				P2115 - Jernevik - Floor saw	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.				SIZE: A3	
NO.	CHANGE	DATE	DESIGNER	SHEET 1 / 11	SCALE 1:1






THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000211		REV. 07	PROJECTION 		
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	01-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 2 / 11	SCALE 1:1
				SIZE: A3	

JERNEVIKEN

PROJECT
P2115 - Jernevik - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL	
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	01-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 3 / 11	SCALE 1:1
				SIZE: A3	

JERNEVIKEN

PROJECT
P2115 - Jernevik - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.


ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL	
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	01-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 4 / 11	SCALE 1:1
				SIZE: A3	




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL		
TITLE CHASSIS - GS43				FINISH		
NOTES: -				DESIGNER	PALLAG DESIGN	PROJECT
				DATE		P2115 - Jernevik - Floor saw
				LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL
				DATE	01-Feb-2023	
				STATUS		
NO.	CHANGE	DATE	DESIGNER	SHEET 6 / 11	SCALE 1:1	SIZE: A3




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.


ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL	
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	01-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 7 / 11	SCALE 1:1
				SIZE: A3	



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.


ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL	
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	01-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 8 / 11	SCALE 1:1
				SIZE: A3	



PROJECT
P2115 - Jernevik - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.



JERNEVIKEN



20

5

520

7

4x

370

350

210

140

2x

430

4x

350

360

270


280

APPLY THREAD GLUE
Loctite 243

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.



ART.NR. 5000211	REV. 07	PROJECTION 	MATERIAL	JERNEVIKEN
TITLE CHASSIS - GS43			FINISH	
NOTES: -			DESIGNER	PALLAG DESIGN
			DATE	
			LAST CHANGE	PALLAG DESIGN
			DATE	01-Feb-2023
			STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 10 / 11
			SCALE 1:1	SIZE: A3

PROJECT
P2115 - Jernevik - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.



THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL		
TITLE CHASSIS - GS43				FINISH		
NOTES: -				DESIGNER	PALLAG DESIGN	PROJECT
				DATE		P2115 - Jernevik - Floor saw
				LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				DATE	01-Feb-2023	
				STATUS		
NO.	CHANGE	DATE	DESIGNER	SHEET 5 / 11	SCALE 1:1	SIZE: A3




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000211		REV. 07	PROJECTION 	MATERIAL	
TITLE CHASSIS - GS43				FINISH	
NOTES: -				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	01-Feb-2023
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 11 / 11	SCALE 1:1
				SIZE: A3	



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.


30	S012468/00	RIVET	A 4.8x9.3 BR SDH DIN73378 A	-	4
20	D5500030/01	HOOK	TOGGLE CLAMP	PART OF THE S5500028	2
10	P5000225/00	COVER PLATE	EXTENSION SAW BLADE	JVK: GS43KSN	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION OF JERNEVIKEN MASKIN AB IS PROHIBITED.


ART.NR. 5000222		REV. 01	PROJECTION 	MATERIAL	
TITLE COVER - EXTENSION SAW BLADE				FINISH	
NOTES: JVK: GS43KSN				DESIGNER	PALLAG DESIGN
1	Art. nr. changed from S5500030 to D5500030.	10.10.2022.	pd3	DATE	P2115 - Jernevik - Floor saw
				LAST CHANGE	PALLAG DESIGN
				DATE	09-Dec-2022
				STATUS	PB3Released
NO.	CHANGE	DATE	DESIGNER	SHEET 1 / 1	SCALE 1:1
					SIZE: 297.0 x 210.0

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

340	S5500064/00	RING	SEALING - 2.65X12.4MM	Essentra nr.: 600644	1
330	A5000270/03	HOSE	ASSY	-	1
320	P5000229/00	STICKER	JERNEVIKEN GS43	JVK: GS43KMJVGS43	2
310	S113690/00	DIN_7380,M8x10,8.8	Hexagon Socket Button Head Screw, DIN EN ISO 7380-2004,M8x10,8.8	NX Standard Part	2
300	S108540/00	DIN_4762,M5x10,8.8	Hexagon Socket Head Cap Screw, DIN EN ISO 4762 (ISO 4762-2004),M5x10,8.8	NX Standard Part	2
290	S012474/00	NUT	M5-DH-DIN 1587	-	2
280	S106901/00	DIN_982,M10,8.8	Prevailing Torque Type Hexagon Nut, DIN 982-1987,M10,8.8	NX Standard Part	1
270	S108688/00	DIN_4762,M10x20,8.8	Hexagon Socket Head Cap Screw, DIN EN ISO 4762 (ISO 4762-2004),M10x20,8.8	NX Standard Part	1
260	S012471/00	RIVET	4.8x14.5 - B LH	-	6
250	S103433/00	DIN_EN_DIN_7093-1,M5,8.8	Plain Washer, Large, DIN EN ISO 7093-1-2000,M5,8.8	NX Standard Part	8
240	S012468/00	RIVET	A 4.8x9.3 BR SDH DIN73378 A	-	6
230	S5500029/00	COUPLER	M8 HEX L50	JVK: M6HMM8X50FZB	1
220	S012472/00	RIVET	A 4.8x12.8 BR SDH DIN7337 A	-	20
200	S5500028/00	TOGGLE LATCH	WITH PADLOCK HASP	JVK: EWEL2030-65-FZB	2
190	S5500027/00	CLAMP	C TYPE	JVK: MAL1504604	2
180	S5500011/00	PULL HANDLE	L120	JVK: EWWN130E120-M6	1
130	S012433/00	SCREW	ST4.2X19 -K - HH SD - DIN 7504 K	-	2
120	S012470/00	SCREW	4x20-HS PH CS	-	2
110	S012469/00	ANCHOR PLUG	5.5X25	-	2
100	S113667/00	DIN_7380,M6x10,10.9	Hexagon Socket Button Head Screw, DIN EN ISO 7380-2004,M6x10,10.9	NX Standard Part	2
80	P5000240/02	COOLING	SAW BLADE	JVK: GS43VASSV	1
50	P5000245/00	EXTENSION	COVER BACK	JVK: GS43STLB	1
30	P5000242/00	DOUBLING	COVER EXTENSION SIDE	JVK: GS43PGD	2
20	P5000243/00	EXTENSION	COVER SIDE	JVK: GS43SSKS	2
10	P5000228/00	MAIN FRAME	COVER SAW BLADE	JVK: GS43KSS	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY


ART.NR. 5000223		REV. 02	PROJECTION 	MATERIAL		
TITLE COVER - SAW BLADE				FINISH		
NOTES: JVK: GS43KSY				DESIGNER	PALLAG DESIGN	
1	New item, R5500064 has been inserted.	13.10.2022.	pd3	DATE		P2115 - Jernevik - Floor saw
2	Revised A5000270.	02.12.2022.	pd3	LAST CHANGE	PALLAG DESIGN	
				DATE	19-Dec-2022	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				STATUS	PB3Released	
NO.	CHANGE	DATE	DESIGNER	SHEET 1 / 4	SCALE 1:1	





THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000223		REV. 02	PROJECTION 	MATERIAL		
TITLE COVER - SAW BLADE				FINISH		
NOTES: JVK: GS43KSY				DESIGNER	PALLAG DESIGN	PROJECT
				DATE		P2115 - Jernevik - Floor saw
				LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				DATE	19-Dec-2022	
				STATUS	PB3Released	
NO.	CHANGE	DATE	DESIGNER	SHEET 2 / 4	SCALE 1:1	SIZE: A3





THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000223		REV. 02	PROJECTION 	MATERIAL	
TITLE COVER - SAW BLADE				FINISH	
NOTES: JVK: GS43KSY				DESIGNER	PALLAG DESIGN
				DATE	
				LAST CHANGE	PALLAG DESIGN
				DATE	19-Dec-2022
				STATUS	PB3Released
NO.	CHANGE	DATE	DESIGNER	SHEET 3 / 4	SCALE 1:1
					SIZE: A3



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.





THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

ART.NR. 5000223		REV. 02	PROJECTION 	MATERIAL		
TITLE COVER - SAW BLADE				FINISH		
NOTES: JVK: GS43KSY				DESIGNER	PALLAG DESIGN	PROJECT
				DATE		P2115 - Jernevikken - Floor saw
				LAST CHANGE	PALLAG DESIGN	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				DATE	19-Dec-2022	
				STATUS	PB3Released	
NO.	CHANGE	DATE	DESIGNER	SHEET 4 / 4	SCALE 1:1	SIZE: A3

JERNEVIKEN

PROJECT
P2115 - Jernevi - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK,
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.



120	S115808/00	DIN_4026,B,M6x12,8.8	Hexagon Socket Set Screw, Flat Point, DIN 913 (ISO 4026-2003(E)),M6x12,8.8	NX Standard Part	1
110	S103445/00	DIN_EN_DIN_7093-1,M10,8.8	Plain Washer, Large, DIN EN ISO 7093-1-2000,M10,8.8	NX Standard Part	4
80	S103990/00	DIN_7091,10,8.8	Plain Washer, DIN 125 (ISO 7091-2000),10,8.8	NX Standard Part	4
70	S111660/00	DIN_4017,B,M10x40,8.8	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M10x40,8.8	NX Standard Part	4
60	S106901/00	DIN_982,M10,8.8	Prevailing Torque Type Hexagon Nut, DIN 982-1987,M10,8.8	NX Standard Part	4
50	S111730/00	DIN_4017,B,M12x60,12.9	Hexagon Head Screw, Grades A and B, DIN EN 24017 (ISO 4017-1999),M12x60,12.9	NX Standard Part	1
40	S106418/00	DIN_934,M12x1.75,12.9	Hexagon Nut, DIN 934 1987,M12x1.75,12.9	NX Standard Part	1
30	S5500053/00	PULLEY	SPA 80 4	JVK: GS43A80-4	1
20	R5500067/01	MOTOR	ELPROM 11 kW	AT132M2-B3	1
10	P5000118/00	ADAPTER	ELECTRIC MOTOR	JVK: GS43MP	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY

ART.NR. 5000234		REV. 02	PROJECTION 	MATERIAL	
TITLE SET - ELECTRIC MOTOR GS43				FINISH	
NOTES: JVK: GS43ELM11KW		DESIGNER	PALLAG DESIGN	PROJECT	
1	Changed the item S5500052 to R5500067.	21.10.2022.	pd3	DATE	P2115 - Jernevik - Floor saw
2	Revised R5500067.	24.11.2022.	pd3	LAST CHANGE	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS. FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK, FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.
				DATE	
				STATUS	
NO.	CHANGE	DATE	DESIGNER	SHEET 1 / 1	SCALE 1:1




THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

2x

20




10



1



2



20	S5500000/02	QUICK CONNECT	COOLING HOSE 1-2 INCH	JVK: BI14014	2
10	P5000110/02	HOSE	D12.5X18 L1030 1-2 INCH	JVK: GS25VS	1
NO.	TITLE	NAME	DESCRIPTION	NOTES	QTY
ART.NR. 5000270 -			REV. 03	PROJECTION 	MATERIAL
TITLE HOSE - ASSY				FINISH -	
NOTES: -				DESIGNER	PALLAG DESIGN PROJECT
1	The names of the items S5500000 and P5000110 have changed.		11.10.2022.	pd3	DATE
2	Revised hose.		02.12.2022.	pd3	LAST CHANGE
					DATE
					STATUS
					PB3Released
NO.	CHANGE		DATE	DESIGNER	SHEET 1 / 1

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF JERNEVIKEN MASKIN AB
REPRODUCTION IN PART OR WHOLE
WITHOUT THE WRITTEN PERMISSION
OF JERNEVIKEN MASKIN AB PROHIBITED.

JERNEVIKEN

P2115-Jerneviiken - Floor saw
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS.
FOR UNDEFINED MACHINING TOLERANCES USE ISO 2768-MK.
FOR WELDING SS-EN ISO 13920-BF, MACHINED SURFACE FINISH
ACCORDING TO ISO 1302. FOR UNDEFINED GEOMETRY SEE 3D MODEL.

SIZE: A4